

**NEW
PRODUCTS INSIDE**

GUARDIAN[®]

OWN THE ROOF

Product
Catalog

Q3 | 2026

Anchorage Connectors | Body Wear | Connecting Devices |
Guardrails + Ladder Safety | Rooftop Safety + Vertical Lifelines

**HEIGHT SAFETY.
SIMPLIFIED.**


guardianfall.com



Scan for more products

ANCHORAGE CONNECTORS PART 1

Guardian offers more anchor point solutions than any other height safety company, covering a full range of industries, applications, installations, and structures.



Part #	Name	Style	Install Pitch	Applications	Install Type	Substrates:			Anchor Use
						Steel	Concrete	Wood	
00300	Skyhook	Roof Anchor	Flat	Fall Arrest, Travel Restraint, Work Positioning	● ○	✓	✓	✓	🏠 🏢
00420	Truss Boss Kit	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning	●			✓	🏠 🏢
00250	Standing Seam	SRL Roof Anchor	Flat - 4/12	Fall Arrest, Travel Restraint	● ○	✓			🏢
10600	Standing Seam	Roof Anchor	Flat - 4/12	Fall Arrest, Travel Restraint	● ○	✓			🏢
00482	Halo	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning	○	✓		✓	🏠 🏢
00500	Ridge-It - 9.75"	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	● ○	✓		✓	🏠 🏢
00510	Ridge-It - 18"	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	● ○	✓		✓	🏠 🏢
00715-TV	Snappy	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	○			✓	🏠 🏢
00484	Bull Ring	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	● ○			✓	🏠 🏢



All Guardian anchors are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.18-2017 when applicable

Install Type: ● = Permanent | ○ = Temporary / Reusable

Anchor Use: 🏠 = Residential | 🏢 = Commercial



Scan for more products

ANCHORAGE CONNECTORS PART 2

A5
#1400052



Temper
#00455



Pitch Pro
#10540



4-Way Plate
#00691



Angel
#00260



Part #	Name	Style	Install Pitch	Applications	Install Type	Substrates:			Anchor Use
						Steel	Concrete	Wood	
1400052	A5	Concrete Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning, Suspension	○		✓		☒
00455	Temper	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	○	✓	✓	✓	☑ ☒
10540	Pitch Pro - Black	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	●	✓	✓	✓	☑ ☒
00691	4-Way Plate	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint	● ○	✓	✓	✓	☑ ☒
00260	Angel	Roof Anchor	Flat - 1/12	Fall Arrest, Travel Restraint	○		✓	✓	☑ ☒
00230	Bolt Hole	Steel Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning, Suspension	● ○	✓			☑ ☒
00255	Screw Down	SRL Roof Anchor	Flat - 4/12	Fall Arrest, Travel Restraint	○	✓		✓	☒
10715	4 ft Concrete Strap	Rebar Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning	●		✓		☒
10717	6 ft Concrete Strap	Rebar Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning	●		✓		☒



All Guardian anchors are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.18-2017 when applicable

Install Type: ● = Permanent | ○ = Temporary / Reusable

Anchor Use: ☑ = Residential | ☒ = Commercial



Scan for more products

ANCHORAGE CONNECTORS PART 3

CB-1-B
#00600



CB-18
#00657



Swivel
#10011



Beamer 2000
#00101



Beamer Trolley
#00215



Part #	Name	Style	Install Pitch	Applications	Install Type	Substrates:			Anchor Use
						Steel	Concrete	Wood	
00600	CB-1-B	Roof Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	● ○	✓	✓	✓	🏠 🏢
10655	CB-18 - Weld On	Post Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	●	✓			🏢
00656	CB-18 - Concrete	Post Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	●		✓		🏢
00657	CB-18	Post Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	●	✓		✓	🏢
10010	Swivel	Concrete Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning, Suspension	● ○		✓		🏠 🏢
10011	Swivel	Roof Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning, Suspension	● ○	✓			🏠 🏢
00242	Swivel Kit	Concrete Anchor	Any	Fall Arrest, Travel Restraint, Work Positioning, Suspension	● ○		✓		🏠 🏢
00101	Beamer 2000	Beam Anchor	Flat - Sheer	Fall Arrest, Travel Restraint, Work Positioning, Suspension	○	✓			🏢
00215	Beamer Trolley	Beam Anchor	Flat	Fall Arrest, Travel Restraint, Work Positioning, Suspension	○	✓			🏢



All Guardian anchors are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.18-2017 when applicable

Install Type: ● = Permanent | ○ = Temporary / Reusable


Anchor Use: 🏠 = Residential | 🏢 = Commercial



Scan for more products

FULL-BODY HARNESSES

Guardian's Design and Innovation Center has developed the most comfortable, feature-rich and innovative harnesses in the height-safety market. We draw on decades of experience and combine it with up-to-date user feedback to make our harnesses 100% fit for purpose, and to make the job safer and more efficient.



Part #	Name	Style	Padding	D-Rings	Chest Buckle	Leg Buckle	Waist Buckle	Size
01700	Velocity	Standard		Dorsal	PT	PT		S-L
01703	Velocity	Standard		Dorsal	PT	TB		S-L
01704	Velocity	Standard		Dorsal	PT	TB		XL-XXL
11160	Seraph	Standard	Shoulder and back	Dorsal	PT	PT		M-L
3737000	Defender	Standard	Shoulder and back	Dorsal	PT	PT		XS-S
3737001	Defender	Standard	Shoulder and back	Dorsal	PT	PT		M-L
3737002	Defender	Standard	Shoulder and back	Dorsal	PT	PT		XL-XXL
3737003	Defender	Standard	Shoulder and back	Dorsal	PT	PT		XXXL
3737024	Defender	Construction	Shoulder, back and waist	Dorsal, Hip	PT	TB	TB	XS-S
3737025	Defender	Construction	Shoulder, back and waist	Dorsal, Hip	PT	TB	TB	M-L
3737026	Defender	Construction	Shoulder, back and waist	Dorsal, Hip	PT	TB	TB	XL-XXL
3737116	Defender Ultra	Standard	Shoulder and back	Dorsal	QC	TB		XS-S
3737117	Defender Ultra	Standard	Shoulder and back	Dorsal	QC	TB		M-L
3737118	Defender Ultra	Standard	Shoulder and back	Dorsal	QC	TB		XL-XXL
3737119	Defender Ultra	Standard	Shoulder and back	Dorsal	QC	TB		XXXL



All Guardian harnesses are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.11-2021


QC = Quick-Connect | TB = Tongue-Buckle | PT = Pass-Through



Scan for more products

SELF-RETRACTING LIFELINES

Browse Guardian's comprehensive range of self-retracting lifelines (SRLs). The SRL is one of the most common, and most effective pieces of fall protection equipment in a height safety system today.



Part #	Name	Style	Class	Lifeline Length	Lifeline Material	Steel Snap Hook	Steel Rebar Hook	Leading Edge
1400204	CR5	Dual	1	6 ft	HMPE Webbing		✓ ✓	
1400198	CR5	Single	1	6 ft	HMPE Webbing	✓		
4200200	CR3-Edge	Single	2	8 ft	Galvanized Cable	✓		✓
4200207	CR3-Edge	Dual	2	8 ft	Galvanized Cable		✓ ✓	✓
4200007	CR3-Edge	Single	2	10 ft	Galvanized Cable	✓		✓
10900	Halo	Single	1	11 ft	HMPE Webbing	✓		
10920	Halo-Edge	Single	2	20 ft	Galvanized Cable		✓	✓
10925	Halo-Edge	Single	2	30 ft	Galvanized Cable	✓		✓
10968	Diablo	Single	SRL-LE	50 ft	Galvanized Cable	✓		✓
10967	Diablo	Single	SRL-LE	65 ft	Galvanized Cable	✓		✓

Class 1
Anchor at or above dorsal D-ring

Class 2
Anchor above or below dorsal D-ring



All Guardian SRLs are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.14-2021 when applicable

Leading Edge: ✓ = Suitable for work involving leading edge scenarios




Scan for more products



LANYARDS & EXTENSIONS

Whatever your application, whether fall arrest, restraint, work positioning, or suspension Guardian has a lanyard to suit. Our range includes fixed length, adjustable, and energy absorbing styles, all developed to be as durable and lightweight as possible.



Part #	Name	Style	Lanyard Length	Applications	Steel Snap Hook
01280	Adjustable Lanyard	Single Leg	4 ft - 6 ft	Travel Restraint	✓✓
01220	External Energy Absorbing Lanyard	Single Leg	6 ft	Fall Arrest, Travel Restraint	✓✓
11200	Internal Energy Absorbing Lanyard	Single Leg	6 ft	Fall Arrest, Travel Restraint	✓✓
01121	Extension Lanyard	Single Leg	18 in	Travel Restraint	✓
01500	Rope Grab with Extension Lanyard	Single Leg	18 in	Travel Restraint	✓
01503	Rope Grab with Energy Absorbing Lanyard	Single Leg	36 in	Fall Arrest, Travel Restraint	✓
01507	Rope Grab with Energy Absorber	Single Leg	10 in	Fall Arrest, Travel Restraint	✓



All Guardian lanyards are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359.13-2013 or ANSI Z359.3-2019 when applicable



Scan for more products

GUARDRAILS & LADDER SAFETY

Guardian offers a wide range of guardrail systems. Whether temporary or permanent, free-standing or penetrating, we have a guardrail system that will work for most needs. In addition, Guardian provides ladder safety solutions to help protect workers during ladder access and climbing activities, supporting safer movement at elevation across the job site.



Part #	Name	Style	Height	Length	Notes	Powder-Coated Steel	Galvanized Steel
15178	Multi-directional Baseplate	G-Rail™			4 x Guardrail post receiver sockets	✓	
15179	Pro Baseplate	G-Rail™			3 x Guardrail post receiver sockets	✓	
15180	Standard Baseplate	G-Rail™			2 x Guardrail post receiver sockets		✓
15181	Guardrail	G-Rail™	42 in	10 ft		✓	
15182	Guardrail	G-Rail™	42 in	8 ft		✓	
15183	Guardrail	G-Rail™	42 in	6 ft		✓	
15184	Toeboard Attachment	G-Rail™		10 in			✓
15111	Safety Swing Gate	G-Rail™	36 in			✓	
15170	Parapet Clamp Guardrail System		52 in		Includes #15175 post	✓	
15500	C-Slab Grabber		52 in			✓	
61133	Universal Guardrail Post		52 in			✓	
10800	Ladder Extension System	Safe-T™	52 in			✓	
10798	Ladder Extension Gate	Safe-T™				✓	
10808	Ladder Stability Clamp				Includes 2 fastening straps	✓	



All Guardian guardrails and ladder accessories are compliant with:
OSHA 1910.140, 1926.502 and 1926.1053



Scan for more products

ROOFTOP SAFETY & VERTICAL LIFELINES

Convenient kits that takes the guesswork out of choosing fall protection products, by grouping together products used in a similar application. Perfect for workers who don't know exactly what they need for a full fall protection set-up, making it easy to stay safe and compliant.

Rooftop Safety Kit
#00815



Rope Grab
#01508



50 ft Vertical Lifeline Assembly
#01320



Adjustable Roof Bracket
#2500



Pro Line Roof Bracket
#3505



Part #	Name	Length	Notes
00805	Rooftop Safety Kit	25 ft	Includes #01700 Velocity harness, #00455 temper anchor, and #01310 VLA
00815	Rooftop Safety Kit	50 ft	Includes #01700 Velocity harness, #00455 temper anchor, and #01320 VLA
01508	Rope Grab		Zinc-coated steel
01509	Rope Grab		Stainless steel
01310	Vertical Lifeline Assembly	25 ft	Includes #1508 rope grab and energy absorber
01315	Vertical Lifeline Assembly	30 ft	Includes #1508 rope grab and energy absorber
01320	Vertical Lifeline Assembly	50 ft	Includes #1508 rope grab and energy absorber
01323	Vertical Lifeline Assembly	75 ft	Includes #1508 rope grab and energy absorber
01324	Vertical Lifeline Assembly	100 ft	Includes #1508 rope grab and energy absorber
01325	Vertical Lifeline Assembly	130 ft	Includes #1508 rope grab and energy absorber
01327	Vertical Lifeline Assembly	150 ft	Includes #1508 rope grab and energy absorber
01326	Vertical Lifeline Assembly	200 ft	Includes #1508 rope grab and energy absorber
2500	Adjustable Roof Bracket	10 in	30°, 45°, or 60°
2502	Roof Bracket	6 in	90° fixed
3505	Pro Line Roof Bracket	6 in	90° fixed
70025	Mobile Skylight Protection System	9 ft 10 in	Polypropylene netting with ratchet and fastening strap



All Guardian products are compliant with:
OSHA 1910.140 and 1926.502
ANSI Z359 when applicable

+1 (800) 466 6385
customer.service@guardianfall.com

guardianfall.com