

# **DROPPED OBJECT PREVENTION**

Reference Guide

UK & International

# Quick-Switch® | Tool Transfer System

2



42145

## Quick-Switch® Tool Transfer Station

Prod. Code	Description	Packaging	Rating
42145	Quick-Switch® Tool Transfer Station*	1/pkg	2.72 kg
42146	Quick-Switch® Tool Transfer Station*, (2) Quick-Switch® Transfer Keys on Bungee Tethers, and (5) Quick-Switch® Links	1/pkg	2.72 kg
42147	Quick-Switch® Tool Transfer Station*, (2) Quick-Switch® Transfer Keys on Retractable Tethers, and (5) Quick-Switch® Links	1/pkg	2.72 kg

\* Tools not included

Meets ANSI/ISEA 121-2018

**GUARDIAN**

# Quick-Switch® | Core Products

The patented Quick-Switch® is a revolutionary, hands-free tool tether system that streamlines the secure transfer of tools when working at heights, without the need to disconnect the tool from an anchor. Remain in full control of the tool with 100% tie-off, the mechanical lock fitting multiple tools so you can switch each tool's connection from belts to wrists and between hands.



42126



42122



42124



42130



42123



42105



QSBOLT

## Quick-Switch® Starter Kit

Prod. Code	Description	Packaging	Rating
42125	Quick-Switch® Transfer Key on Bungee Tether, Quick-Switch® Wrist Cuff, (4) Quick-Switch® Links and (4) Quick-Switch® Docks	1 Full Kit/pkg	2.72 kg
Meets ANSI/ISEA 121-2018			

## Quick-Switch®

Prod. Code	Description	Packaging	Rating
42105	Quick-Switch® Rotating Dock	1/pkg	2.72 kg
42122	Quick-Switch® Transfer Key on Bungee Tether	1/pkg	2.72 kg
42123	Quick-Switch® Dock	2/pkg	2.72 kg
42124	Quick-Switch® Link & Dock	1/ea/pkg	2.72 kg
42126	Quick-Switch® Wrist Cuff	1/pkg	2.72 kg
42130	Quick-Switch® Transfer Key on Retractable Tether	1/pkg	2.72 kg
Meets ANSI/ISEA 121-2018			

## Quick-Switch® Containers

Prod. Code	Description	Packaging	Rating
QSTTB	Quick-Switch® Tethered Tool Bucket fitted with (2) Quick-Switch® Docks	1/pkg	2.72 kg
QSBOLT	Quick-Switch® Bolt Bag & Tool Holder fitted with (2) Quick-Switch® Docks	1/pkg	2.72 kg
42140	Quick-Switch® Tool Pocket fitted with Quick-Switch® Dock	1/pkg	2.72 kg
42141	Quick-Switch® Tool Pocket fitted with (2) Quick-Switch® Docks	1/pkg	2.72 kg
42142	Quick-Switch® Tool Pocket fitted with (3) Quick-Switch® Docks	1/pkg	2.72 kg
42143	Quick-Switch® Tape Pocket fitted with Quick-Switch® Dock	1/pkg	2.72 kg
42144	Quick-Switch® Tool Pocket for Hammers/Ratchets fitted with Quick-Switch® Dock	1/pkg	2.72 kg

# Tool Attachments | Hammers



42107

## Cold Shrink Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
COLDSH1X2	2.54 x 5.08 cm	0.99 to 1.60 cm	10/pkg	0.45 kg
COLDSH14X225	3.56 x 5.72 cm	1.14 to 2.59 cm	10/pkg	0.68 kg
42107	4.06 x 6.35 cm	1.91 to 3.00 cm	10/pkg	1.36 kg
42108	5.33 x 6.99 cm	2.54 to 4.19 cm	10/pkg	1.81 kg
42109	6.99 x 7.62 cm	3.81 to 6.30 cm	10/pkg	3.63 kg
COLDSH41X35	10.41 x 8.89 cm	5.08 to 6.35 cm	10/pkg	4.54 kg
COLDSH275X3	6.99 x 7.62 cm	1.91 to 3.00 cm	5/pkg	3.63 kg
COLDSH41X19GRN	10.41 x 4.83 cm	For Angle Grinders	5/pkg	3.63 kg
COLDSH275X3-R	6.99 x 7.62 cm	1.91 to 3.00 cm	1/pkg	3.63 kg
COLDSH16X25-R	4.06 x 6.35 cm	1.91 to 3.00 cm	1/pkg	1.36 kg
COLDSH21X275-R	5.33 x 6.99 cm	2.54 to 4.19 cm	1/pkg	1.81 kg

Meets ANSI/ISEA 121-2018

## Double Dee Ring Tool Attachments



42110

Prod. Code	Description	Packaging	Rating
42110	10 x 15 mm	10/pkg	4.54 kg
42111	19 x 25 mm	10/pkg	6.80 kg
42112	22 x 29 mm	10/pkg	6.80 kg
DBLD150265	38 x 67 mm	10/pkg	11.33 kg
DBLD0406-R	10 x 15 mm	1/pkg	4.54 kg
DBLD075100-R	9 x 25 mm	1/pkg	6.80 kg
DBLD085115-R	22 x 29 mm	1/pkg	6.80 kg
DBLDKIT	Kit, 2 of each size, 8 total		

Meets ANSI/ISEA 121-2018

## Anti-Vibration Tool Shackle Attachments



42131

Prod. Code	Description	Packaging	Rating
42131	15 x 13 mm	10/pkg	2.27 kg
42132	25 x 19 mm	10/pkg	4.54 kg
42133	29 x 29 mm	10/pkg	6.80 kg
SHKL1916LKC	48 x 46 mm	1/pkg	13.61 kg
SHKL0605LKC	15 x 17 mm	1/pkg	2.27 kg
SHKL1075LKC	25 x 19 mm	1/pkg	4.54 kg
SHKL1212LKC	29 x 29 mm	1/pkg	6.80 kg

Meets ANSI/ISEA 121-2018

## Tether Cinch Loop Attachment



42137

Prod. Code	Description	Packaging	Rating
42137	Single Eye	2/pkg	4.54 kg

Meets ANSI/ISEA 121

## D-Ring Webbing



42139

Prod. Code	Description	Length	Packaging	Rating
42113	Heavy Duty, Steel D-Ring	25 mm	5/pkg	1.36 kg
DRHDOR	Heavy Duty, Steel D-Ring	25 mm	25/pkg	2.95 kg
DRHDORPL	Heavy Duty, Plastic D-Ring	25 mm	25/pkg	2.27 kg
DRHDDTOR	Heavy Duty, Steel Dual Tie Off	25 mm	25/pkg	2.95 kg
DRHDDTOR-R	Heavy Duty, Steel Dual Tie Off	25 mm	5/pkg	2.95 kg
DRSMORPL	Webbing, Plastic D-Ring	13 mm	25/pkg	2.04 kg
42139	Webbing, Steel D-Ring	13 mm	5/pkg	1.36 kg
DRSMOR	Webbing, Steel D-Ring	13 mm	25/pkg	2.04 kg

Meets ANSI/ISEA 121-2018

# Tool Attachments | Combo Wrenches



42107

## Cold Shrink Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
COLDSH1X2	2.54 x 5.08 cm	0.99 to 1.60 cm	10/pkg	0.45 kg
COLDSH14X225	3.56 x 5.72 cm	1.14 to 2.59 cm	10/pkg	0.68 kg
42107	4.06 x 6.35 cm	1.91 to 3.00 cm	10/pkg	1.36 kg
42108	5.33 x 6.99 cm	2.54 to 4.19 cm	10/pkg	1.81 kg
42109	6.99 x 7.62 cm	3.81 to 6.30 cm	10/pkg	3.63 kg
COLDSH41X35	10.41 x 8.89 cm	5.08 to 6.35 cm	10/pkg	4.54 kg
COLDSH275X3	6.99 x 7.62 cm	1.91 to 3.00 cm	5/pkg	3.63 kg
COLDSH41X19GRN	10.41 x 4.83 cm	For Angle Grinders	5/pkg	3.63 kg
COLDSH275X3-R	6.99 x 7.62 cm	1.91 to 3.00 cm	1/pkg	3.63 kg
COLDSH16X25-R	4.06 x 6.35 cm	1.91 to 3.00 cm	1/pkg	1.36 kg
COLDSH21X275-R	5.33 x 6.99 cm	2.54 to 4.19 cm	1/pkg	1.81 kg

Meets ANSI/ISEA 121-2018

## Double Dee Ring Tool Attachments



42110

Prod. Code	Description	Packaging	Rating
42110	10 x 15 mm	10/pkg	4.54 kg
42111	19 x 25 mm	10/pkg	6.80 kg
42112	22 x 29 mm	10/pkg	6.80 kg
DBLD150265	38 x 67 mm	10/pkg	11.33 kg
DBLD0406-R	10 x 15 mm	1/pkg	4.54 kg
DBLD075100-R	9 x 25 mm	1/pkg	6.80 kg
DBLD085115-R	22 x 29 mm	1/pkg	6.80 kg
DBLDKIT	Kit, 2 of each size, 8 total		

Meets ANSI/ISEA 121-2018

## Anti-Vibration Tool Shackle Attachments



42132

Prod. Code	Description	Packaging	Rating
42131	15 x 13 mm	10/pkg	2.27 kg
42132	25 x 19 mm	10/pkg	4.54 kg
42133	29 x 29 mm	10/pkg	6.80 kg
SHKL1916LKC	48 x 46 mm	1/pkg	13.61 kg
SHKL0605LKC	15 x 17 mm	1/pkg	2.27 kg
SHKL1075LKC	25 x 19 mm	1/pkg	4.54 kg
SHKL1212LKC	29 x 29 mm	1/pkg	6.80 kg

Meets ANSI/ISEA 121-2018

## D-Ring Webbing



42139

Prod. Code	Description	Length	Packaging	Rating
42113	Heavy Duty, Steel D-Ring	25 mm	5/pkg	1.36 kg
DRHDOR	Heavy Duty, Steel D-Ring	25 mm	25/pkg	2.95 kg
DRHDORPL	Heavy Duty, Plastic D-Ring	25 mm	25/pkg	2.27 kg
DRHDDTOR	Heavy Duty, Steel Dual Tie Off	25 mm	25/pkg	2.95 kg
DRHDDTOR-R	Heavy Duty, Steel Dual Tie Off	25 mm	5/pkg	2.95 kg
DRSMORPL	Webbing, Plastic D-Ring	13 mm	25/pkg	2.04 kg
42139	Webbing, Steel D-Ring	13 mm	5/pkg	1.36 kg
DRSMOR	Webbing, Steel D-Ring	13 mm	25/pkg	2.04 kg

Meets ANSI/ISEA 121-2018

# Tool Attachments | Adjustable Wrenches



42137

## Tether Cinch Loop Attachment

Prod. Code	Description	Packaging	Rating
42137	Single Eye Tie-Off	2/pkg	4.54 kg

Meets ANSI/ISEA 121-2018

# Tool Attachments | Screwdrivers



42107

## Cold Shrink Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
COLDSH1X2	2.54 x 5.08 cm	0.99 to 1.60 cm	10/pkg	0.45 kg
COLDSH14X225	3.56 x 5.72 cm	1.14 to 2.59 cm	10/pkg	0.68 kg
42107	4.06 x 6.35 cm	1.91 to 3.00 cm	10/pkg	1.36 kg
42108	5.33 x 6.99 cm	2.54 to 4.19 cm	10/pkg	1.81 kg
42109	6.99 x 7.62 cm	3.81 to 6.30 cm	10/pkg	3.63 kg
COLDSH41X35	10.41 x 8.89 cm	5.08 to 6.35 cm	10/pkg	4.54 kg
COLDSH275X3	6.99 x 7.62 cm	1.91 to 3.00 cm	5/pkg	3.63 kg
COLDSH41X19GRN	10.41 x 4.83 cm	For Angle Grinders	5/pkg	3.63 kg
COLDSH275X3-R	6.99 x 7.62 cm	1.91 to 3.00 cm	1/pkg	3.63 kg
COLDSH16X25-R	4.06 x 6.35 cm	1.91 to 3.00 cm	1/pkg	1.36 kg
COLDSH21X275-R	5.33 x 6.99 cm	2.54 to 4.19 cm	1/pkg	1.81 kg

Meets ANSI/ISEA 121-2018





42136

## Tool Collars

Prod. Code	Description	Fits Diameter*	Packaging	Rating
42136	Small Tools	0.24 to 1.19 cm	5 kits/pkg	0.57 kg
42135	Medium Tools	1.02 to 2.44 cm	5 kits/pkg	1.36 kg

# Tool Attachments | Pliers



## Cold Shrink Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
COLDSH1X2	2.54 x 5.08 cm	0.99 to 1.60 cm	10/pkg	0.45 kg
COLDSH14X225	3.56 x 5.72 cm	1.14 to 2.59 cm	10/pkg	0.68 kg
42107	4.06 x 6.35 cm	1.91 to 3.00 cm	10/pkg	1.36 kg
42108	5.33 x 6.99 cm	2.54 to 4.19 cm	10/pkg	1.81 kg
42109	6.99 x 7.62 cm	3.81 to 6.30 cm	10/pkg	3.63 kg
COLDSH41X35	10.41 x 8.89 cm	5.08 to 6.35 cm	10/pkg	4.54 kg
COLDSH275X3	6.99 x 7.62 cm	1.91 to 3.00 cm	5/pkg	3.63 kg
COLDSH41X19GRN	10.41 x 4.83 cm	For Angle Grinders	5/pkg	3.63 kg
COLDSH275X3-R	6.99 x 7.62 cm	1.91 to 3.00 cm	1/pkg	3.63 kg
COLDSH16X25-R	4.06 x 6.35 cm	1.91 to 3.00 cm	1/pkg	1.36 kg
COLDSH21X275-R	5.33 x 6.99 cm	2.54 to 4.19 cm	1/pkg	1.81 kg



42107

Meets ANSI/ISEA 121-2018

## Anti-Vibration Tool Shackle Attachments

Prod. Code	Description	Packaging	Rating
42131	15 x 13 mm	10/pkg	2.27 kg
42132	25 x 19 mm	10/pkg	4.54 kg
42133	29 x 29 mm	10/pkg	6.80 kg
SHKL1916LKC	48 x 46 mm	1/pkg	13.61 kg
SHKL0605LKC	15 x 17 mm	1/pkg	2.27 kg
SHKL1075LKC	25 x 19 mm	1/pkg	4.54 kg
SHKL1212LKC	29 x 29 mm	1/pkg	6.80 kg



42131

Meets ANSI/ISEA 121-2018

## Tool Collars

Prod. Code	Description	Fits Diameter*	Packaging	Rating
42136	Small Tools	0.24 to 1.19 cm	5 kits/pkg	0.57 kg
42135	Medium Tools	1.02 to 2.44 cm	5 kits/pkg	1.36 kg



42136

## D-Ring Webbing


Prod. Code	Description	Length	Packaging	Rating
42113	Heavy Duty, Steel D-Ring	25 mm	5/pkg	1.36 kg
DRHDOR	Heavy Duty, Steel D-Ring	25 mm	25/pkg	2.95 kg
DRHDORPL	Heavy Duty, Plastic D-Ring	25 mm	25/pkg	2.27 kg
DRHDDTOR	Heavy Duty, Steel Dual Tie Off	25 mm	25/pkg	2.95 kg
DRHDDTOR-R	Heavy Duty, Steel Dual Tie Off	25 mm	5/pkg	2.95 kg
DRSMORPL	Webbing, Plastic D-Ring	13 mm	25/pkg	2.04 kg
42139	Webbing, Steel D-Ring	13 mm	5/pkg	1.36 kg
DRSMOR	Webbing, Steel D-Ring	13 mm	25/pkg	2.04 kg



42139

Meets ANSI/ISEA 121-2018

# Tool Attachments | Pry Bars



COLD SH1X2

## Cold Shrink Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
COLD SH1X2	2.54 x 5.08 cm	0.99 to 1.60 cm	10/pkg	0.45 kg
COLD SH14X225	3.56 x 5.72 cm	1.14 to 2.59 cm	10/pkg	0.68 kg
42107	4.06 x 6.35 cm	1.91 to 3.00 cm	10/pkg	1.36 kg
42108	5.33 x 6.99 cm	2.54 to 4.19 cm	10/pkg	1.81 kg
42109	6.99 x 7.62 cm	3.81 to 6.30 cm	10/pkg	3.63 kg
COLD SH41X35	10.41 x 8.89 cm	5.08 to 6.35 cm	10/pkg	4.54 kg
COLD SH275X3	6.99 x 7.62 cm	1.91 to 3.00 cm	5/pkg	3.63 kg
COLD SH41X19GRN	10.41 x 4.83 cm	For Angle Grinders	5/pkg	3.63 kg
COLD SH275X3-R	6.99 x 7.62 cm	1.91 to 3.00 cm	1/pkg	3.63 kg
COLD SH16X25-R	4.06 x 6.35 cm	1.91 to 3.00 cm	1/pkg	1.36 kg
COLD SH21X275-R	5.33 x 6.99 cm	2.54 to 4.19 cm	1/pkg	1.81 kg

Meets ANSI/ISEA 121-2018



42135

## Tool Collars

Prod. Code	Description	Fits Diameter*	Packaging	Rating
42136	Small Tools	0.24 to 1.19 cm	5 kits/pkg	0.57 kg
42135	Medium Tools	1.02 to 2.44 cm	5 kits/pkg	1.36 kg



CLT070

## Bar Clamp Tool Attachments

Prod. Code	Description	Fits Diameter	Packaging	Rating
CLT070	1.778 cm	1.02 to 1.52 cm	5/pkg	3.63 kg
CLT085	2.159 cm	1.52 to 1.91 cm	5/pkg	3.63 kg
CLT100	2.54 cm	1.91 to 2.29 cm	5/pkg	4.54 kg
CLT115	2.921 cm	2.29 to 2.67 cm	5/pkg	4.54 kg

Meets ANSI/ISEA 121-2018



42139

## D-Ring Webbing

Prod. Code	Description	Length	Packaging	Rating
42113	Heavy Duty, Steel D-Ring	25 mm	5/pkg	1.36 kg
DRHDOR	Heavy Duty, Steel D-Ring	25 mm	25/pkg	2.95 kg
DRHDORPL	Heavy Duty, Plastic D-Ring	25 mm	25/pkg	2.27 kg
DRHDDTOR	Heavy Duty, Steel Dual Tie Off	25 mm	25/pkg	2.95 kg
DRHDDTOR-R	Heavy Duty, Steel Dual Tie Off	25 mm	5/pkg	2.95 kg
DRSMORPL	Webbing, Plastic D-Ring	13 mm	25/pkg	2.04 kg
42139	Webbing, Steel D-Ring	13 mm	5/pkg	1.36 kg
DRSMOR	Webbing, Steel D-Ring	13 mm	25/pkg	2.04 kg

Meets ANSI/ISEA 121-2018



# Tool Attachments | Additional Products



42119

## Orange Tether Attachment Tape

Prod. Code	Description
42119	2.50 x 183 cm



42134

## Tape Measure Sleeve

Prod. Code	Description	Rating
42134	Fits most sizes up to 5 m	0.91 kg

Meets ANSI/ISEA 121-2018



42114

## Drill Boot®

Prod. Code	Description	Rating
42114	Up to 8.89 cm Batteries	3.18 kg
DRLBOOTLG-R	Up to 14.61 cm Batteries	3.18 kg

Meets ANSI/ISEA 121-2018



42100

## Tool Belt

Prod. Code	Description	Length
42100	Comfort Fit Padded Tool Belt Large	102 to 138 cm
42101	Comfort Fit Padded Tool Belt Medium	71 to 102 cm

Meets ANSI/ISEA 121-2018



BLTADDEE-R

## Belt Anchor Adapters

Prod. Code	Description	Length	Packaging	Rating
42102	Orange, D-Ring	51 mm	10/pkg	2.72 kg
BLTAD2OR	Orange, 2 Karabiners	51 mm	10/pkg	2.72 kg
BLTAD2OR-R	Orange, 2 Karabiners	51 mm	1/pkg	2.72 kg
BLTADDEE-R	Orange, D-Ring	51 mm	1/pkg	2.72 kg
EZBLTAD2OR	Orange, 2 Karabiners	64 mm	1/pkg	2.72 kg
EZBLTAD2PK	Pink EZ Clean, 2 Karabiners	51 mm	1/pkg	2.72 kg

Meets ANSI/ISEA 121-2018



TTB300BNLBZPHLP

## Containers

Prod. Code	Description	Rating
TTB300BNLBZPHLP	Zipper Closure Tethered Tool Bucket with Hang Loop	45.36 kg
TTB300BNLBZP-R	Zipper Closure Tethered Tool Bucket	45.36 kg
42138	Self-Closing Parts Pouch	5.44 kg

Meets ANSI/ISEA 121-2018

# Tool Tethers



42115



42104



42128



RET348WR-R



HDRF810

## Heavy Duty Tool Tethers

Prod. Code	Description	Reach	Packaging	Rating
42115	Cinching Wrist Strap & Tether	30.5 cm	10/pkg	2.72 kg
42117	Web Tether, Triple Action Lock	122 cm	1/pkg	18.14 kg
L48WR10SSG	Dual Screw-Gate, Wire	122 cm	1/pkg	4.54 kg
L72WRGRND	Triple-Action & Grinder Kit	183 cm	1/pkg	4.54 kg
L72403TSWLP	Triple-Action Swivel & Loop, Web	183 cm	1/pkg	18.14 kg
L72403TLP	Triple-Action & Loop, Web	183 cm	1/pkg	18.14 kg
L120403TOLP	Triple-Action Offset & Loop, Web	305 cm	1/pkg	18.14 kg
L48803TSWLP	Triple-Action Swivel & Loop, Web	122 cm	1/pkg	36.29 kg

Meets ANSI/ISEA 121-2018

## Bungee Tool Tether

Prod. Code	End 1/End 2	Retracted/Reach 2	Packaging	Rating
BNGEXTRP2TSW	2 Action Swivel/HD Cord	81.28 - 121.92 cm	10/pkg	6.8 kg
BNGEXTRP2TSW-R	2 Action Swivel/HD Cord	81.28 - 121.92 cm	1/pkg	6.8 kg
42104	Bungee Tether with Carabiner	81 - 122 cm	10/pkg	6.8 kg
10736	Screw-Gate & Cord	69 - 132 cm	10/pkg	6.8 kg
BNGEXT1C5OR	Screw-Gate & Elastic	89 - 137 cm	10/pkg	2.27 kg
BNGEXTCCALOR	Dual Swing Gate	69 - 132 cm	10/pkg	2.27 kg
BNGEXT1C10XT	Screw-Gate & Cord	86 - 142 cm	10/pkg	4.54 kg
BNGEXT1C10XT-R	Screw-Gate & Cord	86 - 142 cm	1/pkg	4.54 kg
BNGEXTCCSSGOR	Dual Screw-Gate	69 - 132 cm	10/pkg	6.8 kg
BNGEXTRP2TSW	Double-Action Swivel & Cord	81 - 122 cm	10/pkg	6.8 kg
BNGEXTRP2TSW-R	Double-Action Swivel & Cord	81 - 122 cm	1/pkg	6.8 kg
BNGEXTRPRPOR	Dual Cord	81 - 122 cm	10/pkg	6.8 kg
BNGEXTRPSSGOR-R	Screw-Gate & Cord	81 - 122 cm	1/pkg	6.8 kg
BNGEXTCCSSOR	Dual-Swing Gate	69 - 132 cm	10/pkg	6.8 kg
BNGEXTRPSSOR	Swing-Gate & Cord	81 - 122 cm	10/pkg	6.8 kg
BNGEXTCC2T	Dual Double-Action	69 - 132 cm	10/pkg	9.08 kg
10726	Swing-Gate & Cord	69 - 132 cm	1/pkg	9.08 kg
BNGEXT253TLP-R	Triple-Action Swivel & Web	135 - 160 cm	1/pkg	13.61 kg
BNGEXT403TOLP	Triple-Action Offset & Web	165 - 191 cm	1/pkg	13.61 kg

Meets ANSI/ISEA 121-2018

## Retractable Tool Tethers

Prod. Code	Description	End 1/End 2	Reach	Packaging	Rating
42129	Retractor (Nylon)	Screw-Gate/Screw-Gate	132.08 cm	1/pkg	2.27 kg
42128	Retractor (Nylon)	Belt Mount/Screw-Gate	121.92 cm	1/pkg	2.27 kg
RET348WR-R	Retractor (Nylon)	Screw-Gate/Split-Ring	121.92 cm	1/pkg	1.36 kg
HDRF810	Retractor (Nylon)	Spring-Gate/Split-Ring	121.92 cm	1/pkg	0.45 kg
HDRF810S	Retractor (Wire)	Spring-Gate/Split-Ring	121.92 cm	1/pkg	0.45 kg
TRSK8S	Retractor	Swing-Gate/Split-Ring	101.6 cm	1/pkg	0.45 kg
1045602	Retractor	Screw-Gate/Cord	119.38 cm	1/pkg	0.45 kg
1045601	Retractor	Belt Mount/Cord	119.38 cm	1/pkg	0.45 kg
105601	Locking Retractor	Belt Mount/Cord	106.68 cm	1/pkg	0.91 kg
10205	Retractor	Belt Mount/Cord	106.68 cm	1/pkg	0.91 kg
105602	Locking Retractor	Screw-Gate/Cord	106.68 cm	1/pkg	0.91 kg

Meets ANSI/ISEA 121-2018

# Tool Tethers



42106



TETHCNCHEY

## Coil Tool Tethers

Prod. Code	Description	Tether Length	Packaging	Rating
42106	Screw-Gate, Swivel	30-122 cm	1/pkg	2.27 kg
CC2956WR14LRD	2 Action Swivel	74-142 cm	10/pkg	0.91 kg
CC1656WRSG	Screw-Gate & Swing-Gate	41-142 cm	1/pkg	0.91 kg
CC2350WR75LRD	2 Action Swivel	58-127 cm	10/pkg	1.36 kg
CC348WRSW	Dual Screw-Gate	8-122 cm	10/pkg	2.27 kg
CC342SNP	Dual Trigger-Snap	8-116 cm	10/pkg	2.72 kg
CC2072	Dual Screw-Gate	51-183 cm	10/pkg	4.54 kg

Meets ANSI/ISEA 121-2018

## Cinch Loop Tool Tethers

Prod. Code	Description	Packaging	Rating
TETHCNCHDT-R	Dual Tie-Off	2/pkg	4.54 kg
TETHCNCHDT	Dual Tie-Off	10/pkg	4.54 kg
TETHCNCHEY	Single Eye Tie-Off	10/pkg	4.54 kg
TETHCNCHLPSW-R	Swivel Tie-Off	2/pkg	4.54 kg
TETHCNCHLPSW	Swivel Tie-Off	10/pkg	4.54 kg
TETHCNCHLPAN	Anchor Loop	1/pkg	36.29 kg
TETHCNCHLPMTL	Wire Formed	10/pkg	0.91 kg
TETHCNCHLPOR	Plastic	25/pkg	0.45 kg

Meets ANSI/ISEA 121-2018

# Tool Pouches



RETACCSM1



RETTPBH2

RETTPBH1



RETRPBH-R

## Retractable Instrument & Accessory Pouch

Prod. Code	Description	Packaging	Rating
RETACCSM1	Pouch with 1 Retractor	1/pkg	0.68 kg
RETACCSM2	Pouch with 2 Retractors	1/pkg	0.68 kg
RETACCLG2	Large Pouch with 2 Retractors	1/pkg	0.68 kg

Meets ANSI/ISEA 121-2018

## Retractable Tool Pouch

Prod. Code	Description	Packaging	Rating
RETTPBH1	Single Unit Pouch	1/pkg	0.45 kg
RETTPBH2	Dual Unit Pouch	1/pkg	0.45 kg

Meets ANSI/ISEA 121-2018

## Retractable Radio Pouch

Prod. Code	Description	Packaging	Rating
RETRPBH-R	Single Unit Pouch	1/pkg	0.68 kg

Meets ANSI/ISEA 121-2018

# PPE Tethers



42120

## Glove Holder

Prod. Code	Description	Packaging	Rating
42120	Standard, Orange	5/pkg	0.91 kg
PPECPOR	Pouch Style, 50-Pack, Orange	50/pkg	0.45 kg
PPECPOR-R	Pouch Style, Single, Orange	1/pkg	0.45 kg
PPECSOR	Standard, 50-Pack, Orange	50/pkg	0.45 kg
PPECSOR-R	Standard, Single, Orange	1/pkg	0.45 kg
PPECSPK	Standard, 50-Pack, Pink	50/pkg	0.45 kg
PPECSYW	Standard, 50-Pack, Yellow	50/pkg	0.45 kg



42118

## Hard Hat Tether

Prod. Code	Description	Packaging	Rating
42118	Red Standard Bungee	100/pkg	0.91 kg
LNYHRDLG	Green Standard Bungee	100/pkg	0.91 kg
LNYHRDRD-R	Red Standard Bungee	1/pkg	0.91 kg
EZLNHYHRDWBANOR	EZ Clean Webbing, Locking Anchor, No Metal	100/pkg	0.91 kg
LNYHRDOR	Orange Standard Bungee Hard, 2lb	100/pkg	0.91 kg



EZLNHYHRDCLMTL

## Coil Hard Hat Tether

Prod. Code	Description	Packaging	Rating
EZLNHYHRDCLMTL	Orange	100/pkg	0.91 kg
EZLNHYHRDCLOR	Orange EZ Clean Coil, No Metal	100/pkg	0.91 kg
EZLNHYHRDCLMTL-R	Orange Coil , Metal Crimp	1/pkg	0.91 kg



ERETSMRD-R

## Eyeglasses Tether

Prod. Code	Description	Packaging	Rating
ERETSMRD-R	Red	1/pkg	0.91 kg

**HEIGHT SAFETY.  
SIMPLIFIED.**

To see our entire range of height safety products, training courses, and engineered solutions, visit our web site



**guardianfall.com**

+44 (0) 1795 580 333  
enquiries@guardianfall.com